

## PASOLINK Network Management System (Java version)

The PASOLINK Network Management System Java version (PNMSj) provides easy-to-use monitoring, control, configuration and management of PASOLINK family radio networks. You can use PNMSj to do the following:

- Monitor PASOLINK family radio equipment status.
- Control and configure PASOLINK family radio equipment.
- Collect Link Performance data.
- Update PASOLINK family radio network configuration data.

### Features and Benefit

- **Any Platform**

Free from OS limitations, PNMSj runs on either Windows or UNIX. PNMSj is based on SNMP Manager/Agent Technology.

- **Any Client**

PNMSj Clients are able to monitor and control NEs using most Web browsers (IE, etc). Remote NEs can be accessible using either PPP serial interface or LAN interface. NE: Network Element

- **Advanced Event/Alarm Management**

NE List; Event Log; Event Log History; Active Alarm; Alarm Panel; Alarm History; Filter Setting; Severity Setting; Search; Logical Group; Graphical Map;

- **Enhanced Performance Management**

Conforms to ITU-T G.826 Recommendation  
Scheduled or on-demand upload  
Report or chart presentation  
Threshold setting and alerts

- **Flexible Security Management**

Setting changes are recorded in a log with the user's name.  
Multi-level user groups  
Functions and NEs can be defined for each user group.

- **User-friendly Configuration Management**

Automatic creation and easy modification of network configuration data using Network Configuration Tool.  
Intuitive GUI (Graphical User Interface) simplifies configuration and control of link-related parameters, maintenance operation functions and auxiliary I/O.  
Changes to the network configuration made by an operator are recorded in PNMSj Log. (These include Log-in, Alarm Ack, PMC/CTRL Soft Download, Upload / Download to PMC, and Network Configuration file Import.)

- **System Management**

Database Backup / Restore; Automatic Date/Time Setting to NEs; Color Setting; Polling Setting; Severity Setting;

- **Other Function**

Upload/Download Configuration File;

## System Overview

The PASOLINK Network Management System (Java version) is comprised of three elements, a high performance computer with peripheral equipment, a software package called PASOLINK Network Management System Java version (PNMSj) and PASOLINK Management Card (PM Card) or CTRL Module to be equipped in the PASOLINK or PASOLINK<sup>+</sup> and PASOLINK Mx equipment respectively.


The PNMSj is located at a central or a regional operation center and enables network operators to monitor and control the PASOLINK family network elements (NEs) Web browsers.

Alternatively, a laptop computer with simplified software package, called PASOLINK Network Management Terminal - Java version (PNMTj) is available for maintenance purpose at local site.


The PASOLINK family NE at the central site interfaces with the PNMSj through one of the following interfaces.

- PASOLINK: 10BASE-T (LAN) or V.11/RS-232C 19.2/9.6 kbps, Async (through Router)
- PASOLINK<sup>+</sup>/PASOLINK Mx: 10BASE-T (LAN) or V.11 19.2/9.6 kbps, Async (through Router)

The communication to the remote PASOLINK family NE is established through one of the digital service channels in the network.




Serial Interface (RS-232C)




LAN Interface

### Typical Configuration of PNMSj for PASOLINK



LAN Interface through Router



LAN Interface

### Typical Configuration of PNMSj for PASOLINK<sup>+</sup>/PASOLINK Mx

# PNMSj Management Functions

## PNMSj main window

The PNMS GUI is based on standard architecture – containing standard menu and functions. This makes navigating the PNMS window straightforward.

The PNMSj main screen is composed of five main sections. These are:

- **Hierarchy View:**

Composed of two views – Group View and Connection View.

- **Map View:**

It shows the correlated location of the network map on a graphical background.

- **List View:**

It shows a network element list belongs to the group that selects it on Group View.

- **Alarm Information View:**


It shows a summary of current active alarms.

- **Event Log View:**

It shows the log of every event in the network.


- **Total Alarm**


The total count of current active alarms (Not Ack and Total) in each category is shown at the top of the main window.



## Link Summary window

There are five ways to display the Link Summary of a specific NE.

1. From Group Map and Connection Map  
(Click the target NE (  ) icon on the map to display its Link Summary window.)
2. From Group Map and Connection Map  
(Right click the NE to display the context menu.)
3. From List View
4. From Alarm Information View
5. From Search result



# PNMSj Management Functions

## Active Alarm window

The Active Alarm function supports monitoring of active alarms on all connected network elements.

Alarms that have been cleared in the NE will be removed on the Active Alarm window and logged in the Alarm History window.

Ack	Date/Time	Network Element	Item	Severity
<input type="checkbox"/>	02/01/2005 21:53:01	No.003	LOW BER(No.1)	Minor
<input type="checkbox"/>	02/01/2005 21:53:12	No.003	HIGH BER(No.1)	Minor
<input type="checkbox"/>	02/01/2005 21:53:29	No.001	FRAME ASYNC(No.1)	Major
<input type="checkbox"/>	02/01/2005 21:53:33	No.004	HIGH BER(No.1)	Minor
<input type="checkbox"/>	02/01/2005 21:53:35	No.004	BER(No.1)	Major
<input type="checkbox"/>	02/01/2005 21:54:45	No.009	APC(No.1)	Major
<input type="checkbox"/>	02/01/2005 21:55:14	No.009	MCOBM(No.1)	Major
<input type="checkbox"/>	02/01/2005 21:55:46	No.006	OFS THRESHOLD(15min)	Minor
<input type="checkbox"/>	02/01/2005 21:56:06	No.006	UAS THRESHOLD(15min)	Minor

- **Ack:**

The user can acknowledge any of the alarm items by checking the Ack box opposite the alarm item.

A check mark indicates whether the alarm item has been acknowledged.

- **Date/Time:**

The date and time that the alarm occurred.

- **Network Element:**

Indicates the NE name where the alarm occurred.

- **Item:**

Indicates the name of the alarm.

- **Severity:**

Indicates the severity to the alarm. The background color of each line is also indicates the color of the severity.

## NE List

- **List View:**

The List View shows the list of network elements belonging to the group selected in the Group View. Contents are as follows. (It is possible to sort it by each column.)

Name	Equipment Type	Opposite N	Severity	IP Address
No.001	Pasidra V3 1+1	No.002	Major	172.18.000.001
No.002	Pasidra V3 1+1	No.001	Normal	172.18.000.002
No.003	Pasidra V4 1+1 Full Path	No.004	Normal	172.18.000.003
No.004	Pasidra V4 1+1 Half Standby	No.003	Major	172.18.000.017
No.005	Pasidra M4 1+0	No.006	Normal	172.18.000.033
No.006	Pasidra M4 1+0	No.005	Major	172.18.000.034
No.007	Pasidra STM4 1+1 Half Standby	No.008	Minor	172.18.000.035
No.008	Pasidra STM4 1+1 Half Standby	No.007	Minor	172.18.000.036
Group001	...	...	Major	...

- **NE Icon:**

Current status of each NE which shows the highest severity color.

- **Name:**

Network Element name

- **Equipment Type:**

Network Element Type

- **Opposite Network Element:**

Network Element name of radio opposite the given NE.

- **Severity:**

Current status of each NE which shows the highest alarm severity in the target NE.

- **IP Address:**


IP Address of the NE

# PNMSj Management Functions

## Alarm Information

- **Alarm Information View:**

The Alarm Information View is used to view the summary of current active alarms. This screen shows the list of active alarm information of NEs belonging to the same group. The list also shows what alarm severities are currently active in the NE and whether it has been acknowledged or not.



- **Group/NE Icon:**

Current alarm status of the group or NE which shows the highest alarm severity color.

- **Name:**

Network Element name

- **Critical (Not Ack / Total):**

Shows the total number of critical alarms in the NE or group and how many of those alarms have not been acknowledged yet.

- **Major (Not Ack / Total):**

Shows the total number of major alarms in the NE and how many of those alarms have not been acknowledged yet.

- **Minor (Not Ack / Total):**

Shows the total number of minor alarms in the NE and how many of those alarms have not been acknowledged yet.

- **Warning (Not Ack / Total):**

Shows the total number of Warning alarms in the NE and how many of those have not been acknowledged yet.

- **Indeterminate (Not Ack / Total):**

Shows the total number of Indeterminate alarms in the NE and how many of those have not been acknowledged yet.

- **Total Alarm**

The total number of Active alarms in all the managed NEs in network are displayed according to severity. The format is the same as Alarm Information View.

## PNMSj Management Functions

### Alarm History display

- **Ack:**

This shows whether the alarm was acknowledged before it recovered. It will not be possible to acknowledge alarms in this window.

- **Network Element:**

NE name

- **Item:**

Alarm name

- **Severity:**

The alarm severity of the given alarm. The font of the alarm item indicates its severity.

- **Start Time:**

The date and time when the alarm occurred.

- **End Time:**

The date and time when the alarm recovered.

Ack	Network Element	Item	Severity	Start Time	End Time
<input type="checkbox"/>	No.004	MOD(No.1)	MAJOR	02/05/2005 09:41:18	02/05/2005 09:44:11
<input type="checkbox"/>	No.004	HIGH BER(No.1)	MINOR	02/05/2005 09:41:32	02/05/2005 09:44:18
<input type="checkbox"/>	No.004	LOW BER(No.1)	MINOR	02/05/2005 09:41:30	02/05/2005 09:44:20
<input type="checkbox"/>	No.003	TX APC(No.1)	MAJOR	02/05/2005 09:40:09	02/05/2005 09:45:32
<input type="checkbox"/>	No.003	LOW BER(No.1)	MINOR	02/05/2005 09:40:20	02/05/2005 09:45:37
<input type="checkbox"/>	No.009	MAIN 2M LOS_CH2	MAJOR	02/05/2005 09:43:27	02/05/2005 09:45:58
<input type="checkbox"/>	No.001	RX LEVEL(No.1)	MAJOR	02/05/2005 09:46:32	02/05/2005 09:46:37
<input type="checkbox"/>	No.005	CH01 USAGE ERROR	MAJOR	02/05/2005 09:44:57	02/05/2005 09:47:40
<input checked="" type="checkbox"/>	No.007	MOD(No.1)	MAJOR	02/05/2005 09:47:10	02/05/2005 10:53:12
<input checked="" type="checkbox"/>	No.007	MDCPU(No.1)	MAJOR	02/05/2005 09:46:52	02/05/2005 10:53:14

### Event Log History display

- **Date/Time:**

The date and time when the event occurred.

- **Network Element:**

NE name

- **User:**

If the event is due to operator control, the user name used by the operator is shown in this column.

- **Item:**

The name of the event (status, control or alarm).

- **Status:**

Shows the status of the event.

- **Type:**

Shows whether the alarm was operator control, system status log or alarm log. In case of alarm log, the severity is shown in this column.


Date/Time	Network Element	User	Item	Status	Type
02/05/2005 09:07:54	No.005		PRMS LINK	CONNECT	SYSTEM
02/05/2005 09:07:55	No.009		PRMS LINK	CONNECT	SYSTEM
02/05/2005 09:07:56	No.010		PRMS LINK	CONNECT	SYSTEM
02/05/2005 09:16:39*		NewFilter-1		FILTER ADDED	CONTROL
02/05/2005 09:40:09	No.003		TX APC(No.1)	ALARM	MAJOR
02/05/2005 09:40:19	No.003		LOW BER(No.2)	NORMAL	NORMAL
02/05/2005 09:40:20	No.003		LOW BER(No.1)	ALARM	MINOR
02/05/2005 09:41:18	No.004		MOD(No.1)	ALARM	MAJOR
02/05/2005 09:41:30	No.004		LOW BER(No.1)	ALARM	MINOR
02/05/2005 09:41:32	No.004		HIGH BER(No.1)	ALARM	MINOR
02/05/2005 09:43:11	No.009		TX INPUT(No.1)	ALARM	MAJOR

## PNMSj Management Functions

### Filter

This function allows the flexible viewing of Active Alarm, Event Log, Alarm History, Event Log History window.

This window is accessible from the PNMSj main window and is available in all the log windows. User can customize the list of events displayed by setting and activating this filter.




The screenshot shows the 'Filter Setting' dialog box. It has a title bar with a close button. Below the title bar, there is a 'Filter' dropdown menu set to 'Filter1', and three buttons: 'Add', 'Remove', and 'Change Name'. Below this, there are four tabs: 'Active Alarm', 'Event Log', 'Alarm History', and 'Event Log History'. The 'Event Log' tab is selected. Under the tabs, there is a section for 'Network Element Selection' with a checked checkbox and a 'Detail...' button. Below that is an 'Ack' section with checked checkboxes for 'Ack' and 'Not Ack'. The 'Date & Time' section has two rows, each with a 'Specification of View From' and 'Specification of View Through' checkbox, and two time input fields. The 'Severity(View)' section has checked checkboxes for 'Critical', 'Major', 'Minor', and 'Warning', and an unchecked checkbox for 'Indeterminate'. At the bottom, there are two unchecked checkboxes: 'Network Element Name' and 'Item', each followed by a text input field. 'OK' and 'Cancel' buttons are at the bottom right.

### Network Element Search

This function allows the operator to locate NEs by providing one or a combination of the following NE information:

1. Network Element Name
2. Equipment Type
3. Opposite Network Element
4. IP Address



The screenshot shows the 'Network Element Search' dialog box. It has a title bar with a close button. Below the title bar, there are four unchecked checkboxes: 'Network Element Name', 'Equipment Type', 'Opposite Network Element', and 'IP Address'. Each checkbox is followed by a text input field. At the bottom right, there are 'OK' and 'Cancel' buttons.


# Network Configurations

The PNMSj supports various network configurations, from a simple trunk-line network structure to complex multi-branch networks. The number of manageable Network Elements (NEs) per one PNMSj is up to 10,000\*.

\*The PNMS PC, workstation or server specification must be considered to provide recommended performance.

## 1) Multi branches network

The figure shows a trunk network with multi branches network, monitored and controlled by the PNMSj as demonstrated in the figure to the right. At remote site-C for example, up to 13 branches for PASOLINK and up to 29 branches for PASOLINK<sup>+</sup>/PASOLINK Mx per site are available.



## 2) Multi cluster network

The figure shows a multi-cluster network monitored and controlled by the PNMSj through other vendor's microwave equipment (digital service channel) or modem (dedicated leased line). Following physical interface is available between PASOLINK and other vendor's equipment.

Between PNMSj and PASOLINK cluster

<PASOLINK>

- 10BASE-T (LAN)
- RS-232C/V.11 19.2/9.6 kbps, Async

<PASOLINK<sup>+</sup>/PASOLINK Mx>

- 10BASE-T (LAN)
- V.11 19.2/9.6 kbps, Async


Between each PASOLINK clusters

<PASOLINK>

- RS-232C, 9.6 kbps, Async
- RS-485 (V.11), 9.6 kbps, Async

<PASOLINK<sup>+</sup>/PASOLINK Mx>


- V.11, 64 kbps, Sync
- RS-485 (V.11), 19.2 kbps, Async  
(for multi-drop connection)



## Network Configurations


### 3) Multi cluster network

The figure shows a multi-cluster network, monitored and controlled by the PNMSj through LAN interface (IP network). Up to 192 remote clusters (up to 10,000 NEs) can be connected with PNMSj through LAN interface (IP network). The remote clusters are also possible to concentrate by using Management Interface Unit (MIU) and Hybrid Converter (HYB CONV) in the figure to the right.



### 4) Mixed PDH, STM-1, radio equipment


PNMSj is designed that management of mixed STM-1 and PDH radio equipment can be performed under one PC (NMS). Ring configuration is available only for the PASOLINK+/PASOLINK Mx.



### 5) Parallel PNMS configuration

Two PNMSj can monitor and control PASOLINK network (up to 5,000 NEs) simultaneously and independently to provide fault redundancy function. They are connected through Router, as shown in the figure to the right. This configuration is called Parallel PNMSj. "Parallel" means that status change (ex. alarm and event occurrence) of each NE is recognized in both PNMS. Even if one PNMSj is down, the other PNMSj can monitor and control NEs in the network.

(The logging data, performance monitor data and network configuration data are not synchronized between the PNMSj-1 and PNMSj-2.)



## Network Configurations


### 6) Hierarchical PNMSj Configuration

Central and Regional PNMSj can be configured as shown in the figure to the right. Regional PNMSj monitors and controls PASOLINKs (up to 10,000 NEs) in its region. Central PNMSj monitors and controls all PASOLINKs (up to 10,000 NEs) in all regions (up to 50 regions). It is considered an alternative configuration of "Parallel PNMSj".

Each NE is monitored and controlled by both Central and Regional PNMSj. It means that even if Central PNMSj is down, each Regional PNMSj can monitor and control NEs in its monitored and controlled region.

In a similar way, if a regional PNMS is down, the central PNMSj can monitor and control NEs under the region where the regional PNMSj is down.

(The logging data, performance monitor data and network configuration data are not synchronized between the central PNMSj and Regional PNMSj. Central PNMSj has some restriction of the function.)




### 7) Higher-level Management Interface

In order to make NEC's PASOLINK family equipment an integral part of a higher-level management system, an optional SNMP interface to higher-level management system is provided with the PNMSj. The interface is based on SNMPv1 and resides on the same PC as the PNMSj. The detailed control and data gathering are performed by the PNMSj. The summarized alarm traps (Summary SNMP trap such as Group of NE summary trap or NE summary trap) are sent to higher-level management system through this interface. As higher-level management system receives summary traps from PNMSj, the operator needs to access the PNMSj for the detail.

In addition, as each PASOLINK family NE also has SNMP interface in itself, each PASOLINK family NE is directly accessible from higher-level management system if required.

The interface to the higher-level management is UDP/IP with Ethernet interface. 10/100BASE-T is assumed for LAN interface.



## Functional Specifications

✓: Available, —: Not available

Description	PNMSj		PNMTj
	Regional	Central	
Capacity and Types of Managed NEs			
Capacity of manageable NEs	Up to 10,000		2 (1 hop) of any accessible NEs in a maintenance area
Number of manageable regions	—	Up to 50	—
Supported types of NE	PASOLINK, PASOLINK <sup>+</sup> , PASOLINK Mx, MIU, NLite, Next Generation Equipment		
<b>Fault Management</b>			
Graphical Display			
• Map display	✓		—
• Link summary display	✓		✓
Textual Display (Data Browser)			
• Event Log data stored in each NE	Up to 300		Up to 300
• Current Event Log data notified form all managed NEs	✓		—
• Event Log History data	✓		—
• Alarm History data	✓		—
• Max. storage time for Event Log History and Alarm History data	Up to 90 days		—
• Active Alarm	✓		—
• Alarm Panel	✓		—
• Event/Alarm Filtering function	✓		—
• Alarm buzzer setting	✓		—
• Severity setting	✓		—
<b>Performance Management</b>			
Type of PM data register	15-minute, 24-hour		15-minute, 24-hour
Threshold setting and alert	✓		✓
Report presentation of PM data stored in each NE	✓		✓
Report and chart presentation of PM history data collected and stored in PNMSj	✓		—
• Collectable period of days	Up to 90		—
<b>Security Management</b>			
Creation of user groups	Up to 100		5 (fixed)
Registration of users per group	Up to 100		—
Accessible functions and NEs	Selectable		5 levels (fixed)
<b>Configuration Management</b>			
Network configuration data management tool	Separate software tool is used as required.		Separate software tool is used as required.
Regional network configuration data import function	—	✓	—
Provisioning and control of link related parameters, maintenance operation functions and auxiliary I/O	✓		✓
Network Elements List	✓		—
<b>Higher-level NMS Interface</b>			
Interface protocol	SNMP, SQL		—
Notified information	NE Detailed, NE Summarized or NE Group		—
Max. registerable higher-level NMS interfaces	Up to 4		—
<b>Remote Access</b>			
Remote access	✓ (Web)		—
Maximum user for remote access	Up to 15 Users		—
<b>System Management</b>			
Automatic date/time setting to NEs	✓		—
Alarm buzzer stop	✓		✓
Data backup	Scheduled or On demand		—
Data restore	On demand		—
Color setting	✓		—
Online help	Online manual and software version		Online manual and software version
<b>NMS Signal Interface</b>			
PNMSj interface	10/100BASE-T(X)		—
PNMTj interface	—		10/100BASE-T(X), Async, RS-232C, 19.2/9.6 kbps.

## Functional Specifications

Description	PNMSj		PNMTj
	Regional	Central	
Hardware and Software Platform			
Hardware requirement	<p><b>&lt;Server for 1,000 NEs &gt;</b>            Desktop PC with Pentium® 4 3.20E GHz CPU, 1,024MB RAM, 80 GB HD, 10/100BASE-T(X) LAN port, FD drive, CD-ROM drive, serial, parallel, internal sound system with speaker, color monitor (1024 x 768), keyboard, mouse, laser printer</p> <p>or</p> <p>Sun Workstation/Server            1.2GHz CPU, 2.2GB RAM, 73GB HD, CD-ROM drive, 10/100BASE-T(X) LAN port, FD drive, 4mm DAT drive, SCSI port (option), PGX32/64 graphics, color monitor (1,024 x 768), Keyboard, mouse.</p> <p>Refer to Appendix-1,2</p>		Notebook PC with Pentium® M 1.60GHz, 512 MB RAM, 40 GB HD, 10/100BASE-T(X) LAN port, FD drive, CD-ROM drive, serial port, internal sound system with speaker, color LCD (1,024 x 768), keyboard, pointing device
Operating system (English version)	Windows 2000/XP, Solaris and other UNIX		Windows 2000/XP
3 <sup>rd</sup> party software (English version)	Adobe® Acrobat® Reader, Java 2 Runtime Environment. SE		Adobe® Acrobat® Reader, Java 2 Runtime Environment. SE

# Appendix-1 (Windows)

The minimum hardware and software requirements of PNMSj for Windows are shown in the table below.

Type of PNMS	Stand-alone/Regional/Central									
Number of client	0				5		10		15	
Manageable NEs	50 -	1000 -	4000 -	8000 -	1000 -	6000 -	1000 -	6000 -	1000 -	6000 -
	500	3000	7000	10000	5000	10000	5000	10000	5000	10000
CPU (GHz)	Pentium® 4 or equivalent									
	2.2 or higher	2.4 or higher	2.6 or higher	2.8 or higher	3.2 or higher	3.4 or higher	3.4 or higher	3.6 or higher	3.6 or higher	3.6 or higher
Memory [MB]	Refer to Memory List									
Hard disk (GB)	40 or more									
Removable and optical media	DVD/CD-ROM drive, FD Drive									
Display	17-inch LCD (1280 x 1024 or more) color monitor or equivalent									
Keyboard	Standard English keyboard									
Pointing device	Mouse									
Printer	Laser printer (option)									
Audio	Internal sound system with speaker									
Interface	10/100/1000BaseT LAN x 1 (for PNMS interface), USB x 2 (for keyboard and mouse)									
Operating system	Windows® 2000 Professional (English version) or Windows® XP Professional (English version)									
3 <sup>rd</sup> party software	Acrobat® Reader® (to read on-line Help manual), Java 2 Runtime Environment. SE									

Client PC	
Hardware requirements (minimum)	PC with Pentium® 4 CPU 2.8GHz, 1,024 MB RAM, 40 GB HD, FD drive, CD-ROM drive, LAN port, internal sound system with speaker, color monitor (1280 x 1024), keyboard, pointing device
Operating system	Windows 2000/XP Professional
3 <sup>rd</sup> party software	Acrobat® Reader® (to read on-line Help manual), Java 2 Runtime Environment. SE

## Memory List [MB]

Manageable NEs	10000	1536	2176	2816	3584											
	9000															
	8000															
	7000	1152	1536	2176	2816											
	6000															
	5000															
	4000	640	1536	2176	2816											
	3000															
	2000															
	1000	256	640	1152	1536	2176										
	500															
	100															
50																
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	Number of Client [0-15]															



"Windows" is a registered trademark of Microsoft Corporation. "Intel", "Pentium" and "Celeron" are registered trademarks of Intel Corporation. "SUN", "Solaris" are registered trademarks of Sun Microsystems, Inc. "UNIX" is a registered trademark of X/Open Company Ltd. "Adobe" and "Acrobat Reader" are trademarks or registered trademarks of Adobe Systems Incorporated.

NOTE: This document only describes prominent features of the product(s). NEC reserves the right to change the specifications without notice.

**NEC**